


Storm Drain Plus - Domestic Channel Drain

- Heelguard grates as standard
- Recycled and recyclable base material
- Conforms to BS EN 1433 - Load Class A15
- Labour saving quad connector
- Sump unit with integral water trap to prevent odours
- Improved male to female connections
- Cross-braced design prevents floating
- Lightweight polypropylene, with a high impact strength at hot and cold temperatures




Storm Drain Plus channels are available in 1 metre sections. They feature 3 vertical outlets for flexibility, as well as horizontal entry/outlet points which can be connected to either 100mm or 110mm pipes. The complete range of accessories combines to create a full, flexible system, with features for easy installation.


Storm Drain Plus is offered with Heelguard grates as standard, in a choice of black plastic or galvanised finishes. The grills conform to BS EN 1433: Class A15 and can withstand a 1.5

tonne loading. The system can therefore be installed in pedestrian areas, on sports pitches, at swimming pools, in walkways and where light vehicles may drive over.



Dimensions





Product Code	STDPXXX
Description	Fernco Storm Drain Plus Channel Drain
Length	996mm
Material	Polypropylene
Flow Capacity	Up to 4.5 l/s
Temperature Range	Operating up to 80°C
Standards	BS EN 1433 - Load Class A15


Product Code	Description	Length (m)	Weight (Kg)
STDP1000	Channel with black plastic grate	1	2.08
STDP1000G	Channel with galvanised grate	1	2.99
STDPQC	Quad connector in black plastic	0.123	0.28
STDPQCG	Quad connector with galvanised grate	0.123	0.45
STDPEC	Secure end cap	N/A	0.05
STDPEO/110	End outlet 110 mm	N/A	0.08
STDPSUMP	Sump unit with silt basket and water trap with black plastic grate	0.33 (0.39 deep)	
STDPSUMPGG	Sump unit with silt basket and water trap with galvanised grate	0.33 (0.39 deep)	
CHANNELCLIP	Joining clip for the secure connection of two cut channels		




Quad connector



Jointing clip



Sump unit



Support bracket



End outlet



End cap

General Information

Quality, Standards and Approvals

Fernco has been certified by the British Standards Institution (BSI) as a company of assessed capability, with a quality management system which meets the requirements of BS EN ISO 9001:2015

Fernco UK, part of a global group of companies, are the leaders in wastewater connection innovation; utilising the most advanced methods and techniques for precision-manufactured products, all of which comply with or exceed relevant British and European standards to ensure reliability and sustainability.

Environment

Fernco operate Environmental Management Systems which are certified to ISO 14001: 2015.

Supply

Fernco are proud members of the Builders Merchants Federation (BMF). All Fernco products are supplied through a national and global network of distribution and merchant partners. For stockist details, contact Fernco.

Technical Support

Fernco have a team of product experts on hand to support all customers with technical support and advice.

Contact Fernco Technical Department:

Tel: +44 (0) 1226 344100

Email: technical@fernco.co.uk

Enquiries

UK Sales:

Tel: +44 (0) 1226 340 888

Email: sales@fernco.co.uk

International Sales:

Tel: +44 (0) 1226 344 105

Email: export.dept@fernco.co.uk